


CERTIFICATE OF E-FILING

I hereby certify that this correspondence is being deposited with the United States Postal Service via the electronic filing system addressed to Assistant Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



Thomas J. Burger, Reg. No. 32,662

Date: 10/31/07

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 10/687,857
Patent No.: 7,229,451
Issue Date: June 12, 2007
Examiner: Anhtuan T. Nguyen
Inventors: James L. Day and Donald A. Lincoln
Title: Skull Clamp With Load Distribution Indicators

Cincinnati, Ohio 45202

Assistant Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: Decision and Certificate of Correction Branch of the Patent Issue Division

Sir:

REQUEST FOR CERTIFICATE OF CORRECTION

Applicants respectfully request that the USPTO issue a Certificate of Correction for the patent identified above, to correct the following printing errors.

Col. 1, lines approx. 29-30, reads "connected to the adaptor the skull clamp" and should read --connected to the adaptor, the skull clamp--.

Col. 3, line 7, reads "easier for the surgeon and the surgery, room attendants to" and should read --easier for the surgeon and the surgery room attendants to--.

Col. 4, line approx. 35, reads "FIG. 1 is plan view of" and should read --FIG. 1 is a plan view of--.

Col. 4, lines approx. 63-64, reads "such as an adaptor, (not shown) as is well known" and should read --such as an adaptor (not shown), as known--.

Col. 5, line approx. 42, reads "described in the '148 patent," and should read --described in the '478 patent--.

Col. 5, line approx. 65, reads "a desired distant." and should read --a desired distance.--.


Col. 7, last line, reads "being aligned along an" and should read --being aligned along an--.

Please charge any additional surcharge or filing fee or credit any overpayment to our deposit account, 23-3000.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P.

By: _____



Thomas J. Burger, Esq.
Reg. No. 32,662

2700 Carew Tower
Cincinnati, Ohio 45202
(513) 241-2324

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,229,451
APPLICATION NO.: 10/687,857
ISSUE DATE : June 12, 2007

INVENTOR(S) : James L. Day
Donald A. Lincoln

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 1, lines approx. 29-30, reads "connected to the adaptor the skull clamp" and should read --connected to the adaptor, the skull clamp--.

Col. 3, line 7, reads "easier for the surgeon and the surgery, room attendants to" and should read --easier for the surgeon and the surgery room attendants to--.

Col. 4, line approx. 35, reads "FIG. 1 is plan view of" and should read --FIG. 1 is a plan view of--.

Col. 4, lines approx. 63-64, reads "such as an adaptor, (not shown) as is well known" and should read --such as an adaptor (not shown), as known--.

Col. 5, line approx. 42, reads "described in the '148 patent," and should read --described in the '478 patent--.

Col. 5, line approx. 65, reads "a desired distant." and should read --a desired distance.--.

Col. 7, last line, reads "being aligned along an" and should read --being aligned along an--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Thomas J. Burger, Esq., c/o Wood, Herron, & Evans, L.L.P.
441 Vine Street, 2700 Carew Tower
Cincinnati, Oh 45202

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.